PALM Intranet						
Application Number		S	ubmit			
OS Flag Cle	arance for Ap	plication 107	749326			
IDS ntormation						
	Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
Ī	୍ରୀ ଅଧିକ ଅ					

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	(robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("cooperative" or "swarm")	USPAT	OR	OFF	2007/07/22 18:38
L2	12	(robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("cooperative" or "swarm")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/22 18:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"autonomous robot" and "short term memory" and "nearest neighbor" and event and "plurality of directions" and "sensory processing unit" and neighborhood . clm.	USPAT	OR	OFF	2007/07/22 21:17
L2	0	"autonomous robot" and "short term memory" and "nearest neighbor" and event and "plurality of directions" and "sensory processing unit" and neighborhood . clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/22 21:17

Patent Database Search Results: (robot OR "intelligent agent" or "autonomous agent") an... Page 1 of 1

L	JS	b,	TO	P	ΆΊ	EN	T	F	UL	L-	ΤE	TX	'A	ND	Ir	MΑ	GE	<u> </u>	D۶	\T	'AE	3A	SE

<u>Home</u>	Quick	Adva	nced	Pat	Num	<u>Help</u>
	Bot	tom	<u>View</u>	<u>Cart</u>		

Searching US Patent Collection...

Results of Search in US Patent Collection db for:
((((robot OR "intelligent agent") OR "autonomous agent") AND "short term memory") AND
("cooperative" OR "swarm")): 5 patents.

Hits 1 through 5 out of 5


Jump To	
1,000]

Refine Search (robot OR "intelligent agent" or "autonomous agent")

PAT.

Title

- 1 7,171,689 **T** System and method for tracking and filtering alerts in an enterprise and generating alert indications for analysis
- 2 7,076,472 **T** Knowledge-based methods for genetic network analysis and the whole cell computer system based thereon
- 3 6,697,707 **T** Architecture for robot intelligence
- 4 5,940,529 T Self-organizing circuits
- 5 4,852,018 **T** Massively parellel real-time network architectures for robots capable of self-calibrating their operating parameters through associative learning





Home | Login | Logout | Access Information | Alc

Welcome United States Patent and Trademark Office

RELEASE 2.3			
J∶Search Results	BROWSE	SEARCH	IEEE XPLORE GUIDE
Results for "(((robot or 'intelligent agent' or 'auto Your search matched 1 of 1618078 documents. A maximum of 100 results are displayed, 25 to a po	• ,		⊡ e-πgil
» Search Options			
View Session History	Modify Search		
New Search	(((robot or 'intelligent agent' or 'autonor	nous agent') and 'short term memo	ory' and ('cod Search)
» Key IEEE JNL IEEE Journal or Magazine	Check to search only within th Display Format: Citat		ct
IET JNL IET Journal or Magazine IEEE CNF IEEE Conference Proceeding	view selected items	elect All Deselect All	
IET CNF IET Conference Proceeding IEEE STD IEEE Standard	Kuroda, T.; Hoshino, Y. <u>Robot and Human Com</u> 18-20 July 1994 Page(s	.; Itoh, H.; Seki, H.; munication, 1994, RO-MAN '94	ents with short-term memory 4 Nagoya, Proceedings., 3rd IEEE Internation
	AbstractPlus Full Text Rights and Permissions	: <u>PDF(</u> 320 KB)	

indexed by व्य Inspec° p Contact Us Priva

© Copyright 2006 IE

Subscribe (Full Service) Register (Limited Service, Free) Login

(robot OR "intelligent agent" or "autonomous agent") and "sho

المحكنانة

THE AGII EVENTAL LIBRARY

Feedback Report a problem Satisfaction

Terms used: robot OR intelligent agent or autonomous agent and short term memory and cooperative or swarm

Found 1,010 of 207,474

Sort results by

relevance

Save results to a Binder

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Search Tips Open results in a new window

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9 10

Relevance scale

Best 200 shown

Cooperation through self-assembly in multi-robot systems

Elio Tuci, Roderich Gross, Vito Trianni, Francesco Mondada, Michael Bonani, Marco Dorigo

December 2006 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 1 Issue 2

Publisher: ACM Press

Full text available: 7 pdf(2.73 MB)

Additional Information: full citation, abstract, references, index terms

This article illustrates the methods and results of two sets of experiments in which a group of mobile robots, called s-bots, are required to physically connect to each other, that is, to self-assemble, to cope with environmental conditions that prevent them from carrying out their task individually. The first set of experiments is a pioneering study on the utility of self-assembling robots to address relatively complex scenarios, such as cooperative object transport. The results of our w ...

Keywords: Swarm robotics, artificial neural networks, evolutionary algorithms, evolutionary robotics, self-assembly, swarm intelligence

2 Papers: robotics: Performance of digital pheromones for swarming vehicle control

John A. Sauter, Robert Matthews, H. Van Dyke Parunak, Sven A. Brueckner July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05

Publisher: ACM Press

Full text available: pdf(793.48 KB)

Additional Information: full citation, abstract, references, citings, index terms

The use of digital pheromones for controlling and coordinating swarms of unmanned vehicles is studied under various conditions to determine their effectiveness in multiple military scenarios. The study demonstrates the effectiveness of these pheromone algorithms for surveillance, target acquisition, and tracking. The algorithms were demonstrated on hardware platforms and the results from the demonstration are reported

Keywords: autonomous vehicles, multiagent, pheromone control, swarming

Artificial intelligence: an investigation into critical systems and swarm theory Steven Winston

April 2002 Journal of Computing Sciences in Colleges, Volume 17 Issue 5

Publisher: Consortium for Computing Sciences in Colleges

Full text available: The pdf(22.19 KB) Additional Information: full citation, references, index terms

4	Agent planning and search: Decentralized planning under uncertainty for teams of	
٩	communicating agents	
	Matthijs T. J. Spaan, Geoffrey J. Gordon, Nikos Vlassis May 2006 Proceedings of the fifth international joint conference on Autonomous	
	agents and multiagent systems AAMAS '06	
	Publisher: ACM Press	
	Full text available: pdf(379.29 KB) Additional Information: full citation, abstract, references, index terms	
	Decentralized partially observable Markov decision processes (DEC-POMDPs) form a general framework for planning for groups of cooperating agents that inhabit a stochastic and partially observable environment. Unfortunately, computing optimal plans in a DEC-POMDP has been shown to be intractable (NEXP-complete), and approximate algorithms for specific subclasses have been proposed. Many of these algorithms rely on an (approximate) solution of the centralized planning problem (i.e., treating the w	
	Keywords : artificial intelligence, cooperative multiagent systems, decentralized POMDPs, planning under uncertainty	
5	The multilevel hypernetwork dynamics of complex systems of robot soccer agents	
٩	Jeffrey H. Johnson, Pejman Iravani June 2007 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 2 Issue 2 Dublisher ACM Press	
	Publisher: ACM Press Full text available: pdf(766.86 KB) Additional Information: full citation, abstract, references, index terms	
	A mathematical formalism is sketched for representing relational structure between agents. n -ary relations, $n > 2$, require hypernetworks, which generalize binary relation networks. n -ary relations on sets create structure at higher levels of representation to the elements in multilevel systems. The $state$ of a system is represented by its multilevel relational structure. The $state$ of a system are represented by state changes through time. These can be c	
	Keywords : Complex systems, Q-analysis, agent, hypernetwork, multiagent systems, multilevel representations, multilevel systems, robot soccer, robotics, simulated multiagent football	
6	Developing multiagent systems: The Gaia methodology Franco Zambonelli, Nicholas R. Jennings, Michael Wooldridge July 2003 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 12 Issue 3 Publisher: ACM Press	
	Full text available: pdf(346.49 KB) Additional Information: full citation, abstract, references, citings, index terms, review	
	Systems composed of interacting autonomous agents offer a promising software engineering approach for developing applications in complex domains. However, this multiagent system paradigm introduces a number of new abstractions and design/development issues when compared with more traditional approaches to software development. Accordingly, new analysis and design methodologies, as well as new tools, are needed to effectively engineer such systems. Against this background, the contribution	
	Keywords : Multiagent systems, agent-oriented software engineering, analysis and design methodologies, distributed systems, software architectures	
7	Multi-robot path-planning based on implicit cooperation in a robotic swarm Guillaume Beslon, Frédérique Biennier, Béat Hirsbrunner	

Results (page 1): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 3 of 6

May 1998 Proceedings of the second international conference on Autonomous agents AGENTS '98

Publisher: ACM Press

Full text available: pdf(849.64 KB) Additional Information: full citation, references, index terms

Keywords: implicit cooperation, manufacturing, material handling system, reactive agents, swarm

8 Industrial track: aerospace applications: Experiences with the design and

implementation of an agent-based autonomous UAV controller Samin Karim, Clint Heinze

July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05

Publisher: ACM Press

Full text available: pdf(389.87 KB) Additional Information: full citation, abstract, references, index terms

This paper reports experiences and outcomes of designing and developing an agent-based, autonomous mission control system for an unmanned aerial vehicle (UAV). Most UAVs are not truly autonomous or even unmanned but are more correctly termed 'uninhabited' or 'remotely piloted'. This paper explores two quite different approaches for adding autonomous control to an existing UAV. Both designs were implemented using an agent-based language. The first takes a fairly standard approach, adding a layer ...

Keywords: BDI agency, OODA, UAV, cognitive robotics, cognitively plausible models, real-time agent-based control

9 Learning and evolution: The use of agents in human learning systems

Elizabeth Sklar, Debbie Richards

May 2006 Proceedings of the fifth international joint conference on Autonomous agents and multiagent systems AAMAS '06

Publisher: ACM Press

Full text available: pdf(220.00 KB) Additional Information: full citation, abstract, references, index terms

This paper examines agent-based systems designed for a variety of human learning tasks. These are typically split into two areas: "training", which generally refers to adult learning of job-related skills, frequently but not exclusively in military settings; and "education", which generally refers to child and adult learning in academic settings, including primary and secondary schools, colleges and universities. While the terms may indicate diverse areas within the field of human learning, from ...

Keywords: education, learning, pedagogical agents, training

10 A survey of autonomic communications

Simon Dobson, Spyros Denazis, Antonio Fernández, Dominique Gaïti, Erol Gelenbe, Fabio Massacci, Paddy Nixon, Fabrice Saffre, Nikita Schmidt, Franco Zambonelli December 2006 ACM Transactions on Autonomous and Adaptive Systems (TAAS),

Volume 1 Issue 2 **Publisher:** ACM Press

Full text available: pdf(300.86 KB) Additional Information: full citation, abstract, references, index terms

Autonomic communications seek to improve the ability of network and services to cope with unpredicted change, including changes in topology, load, task, the physical and logical characteristics of the networks that can be accessed, and so forth. Broad-ranging autonomic solutions require designers to account for a range of end-to-end issues affecting programming models, network and contextual modeling and reasoning, decentralised algorithms, trust acquisition and maintenance---issues whose soluti ...

Results (page 1): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 4 of 6

Keywords: Autonomic communication

11 Agents, interactions, mobility, and systems (AIMS): A distributed stand-in agent



based algorithm for opportunistic resource allocation

Petr Benda, Pavel Jisl, Michal Pěchouček, Niranjan Suri, Marco Carvalho April 2006 Proceedings of the 2006 ACM symposium on Applied computing SAC '06 Publisher: ACM Press

Full text available: pdf(815.11 KB) Additional Information: full citation, abstract, references, index terms

Mobile ad-hoc networks (MANET) are expected to form the basis of future mission critical applications such as combat and rescue operations. In this context, communication and computational tasks required by overlying applications will rely on the combined capabilities and resources provided by the underlying network nodes. This paper introduces an integrated FlexFeed/A-globe technology and distributed algorithm for opportunistic resource allocation in resource-and policy-constraine ...

Keywords: ad-hoc networks, agents, coordination, defence applications, inaccessibility, multi-agent systems

12 OOPSLA onward! track chair's welcome: Collaborative diffusion: programming



<u>antiobjects</u>

Alexander Repenning

October 2006 Companion to the 21st ACM SIGPLAN conference on Object-oriented programming systems, languages, and applications OOPSLA '06

Publisher: ACM Press

Full text available: pdf(1.27 MB) Additional Information: full citation, abstract, references, index terms

Object-oriented programming has worked quite well - so far. What are the objects, how do they relate to each other? Once we clarified these questions we typically feel confident to design and implement even the most complex systems. However, objects can deceive us. They can lure us into a false sense of understanding. The metaphor of objects can go too far by making us try to create objects that are too much inspired by the real world. This is a serious problem, as a resulting system may be sign ...

Keywords: collaborative agents, diffusion, distributed artificial intelligence, end-user programming, game AI, incremental AI, multi-agent architecture, object-oriented programming, psychology of programming

13 Excuse me, I need better Al!: employing collaborative diffusion to make game Al





child's play

Alexander Repenning

July 2006 Proceedings of the 2006 ACM SIGGRAPH symposium on Videogames sandbox '06

Publisher: ACM Press

Full text available: R pdf(547.39 KB) Additional Information: full citation, abstract, references, index terms

The idea of end-user game authoring environments is quickly gaining momentum in education. Environments such as AgentSheets have been used by thousands of children to learn about programming and design by creating their own computer games. With only hours of training these children initially create their own versions of classical games such as Frogger, Sokoban, and Space Invaders and later begin to design and implement their own game ideas. After creating numerous simple games including cursor c ...

Keywords: collaborative agents, diffusion, distributed artificial intelligence, end-user programming, game AI, incremental AI, multi-agent architecture, object-oriented programming, psychology of programming

Publisher: ACM Press

Results (page 1): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 6 of 6

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(210.96 KB)

Endowing agents with "social rationality" [10, 12, 11] can aid overall efficiency in tasks where cooperation is beneficial to system level performance. However it is difficult to maintain this beneficial effect in open and unpredictable systems. Such systems seem to require a "bespoke" (that is, a new) design for cooperation in each domain. Recent work in artificial life and biological sciences has identified novel "tag" mechanisms for the spontaneous self-organization of group level adaptations ...

Keywords: altruism, cooperation, cultural markers, evolution of groups, social cues, tags

19 Teamwork: A prototype infrastructure for distributed robot-agent-person teams Paul Scerri, David Pynadath, Lewis Johnson, Paul Rosenbloom, Mei Si, Nathan Schurr, Milind Tambe

July 2003 Proceedings of the second international joint conference on Autonomous agents and multiagent systems AAMAS '03

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(360.59 KB) terms

Effective coordination of robots, agents and people promises to improve the safety, robustness and quality with which shared goals are achieved by harnessing the highly heterogeneous entities' diverse capabilities. Proxy-based integration architectures are emerging as a standard method for coordinating teams of heterogeneous entities. Such architectures are designed to meet imposing challenges such as ensuring that the diverse capabilities of the group members are effectively utilized, avoiding ...

Keywords: adjustable autonomy, robot-agent-person teams

Active mental entities: a new approach to building intelligent autonomous agents

Pietro Baroni, Daniela Fogli, Giovanni Guida, Silvano Mussi June 1998 ACM SIGART Bulletin, Volume 9 Issue 1

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(1.69 MB) terms

In order to design and realize intelligent autonomous agents, a very active research trend has concentrated its attention on the study of models of mental activity, encompassing the explicit representation of mental attitudes such as beliefs, desires and intentions. In such studies mental attitudes are normally represented as data structures on which a so-called interpreter operates determining the overall agent behavior. In this article we propose an original point of view about mental activity ...

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Subscribe (Full Service) Register (Limited Service, Free) Login

The ACM Digital Library

C The Guide

(robot OR "intelligent agent" or "autonomous agent") and "sho

THE ACM DICITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used: robot OR intelligent agent or autonomous agent and short term memory and cooperative or swarm

Found 1,010 of 207,474

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Relevance scale 🗆 📟 📟 🔳

Best 200 shown

Cooperation through self-assembly in multi-robot systems

Elio Tuci, Roderich Gross, Vito Trianni, Francesco Mondada, Michael Bonani, Marco Dorigo December 2006 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 1 Issue 2

Publisher: ACM Press

Full text available: pdf(2.73 MB)

Additional Information: full citation, abstract, references, index terms

This article illustrates the methods and results of two sets of experiments in which a group of mobile robots, called s-bots, are required to physically connect to each other, that is, to self-assemble, to cope with environmental conditions that prevent them from carrying out their task individually. The first set of experiments is a pioneering study on the utility of self-assembling robots to address relatively complex scenarios, such as cooperative object transport. The results of our w ...

Keywords: Swarm robotics, artificial neural networks, evolutionary algorithms, evolutionary robotics, self-assembly, swarm intelligence

² Papers: robotics: Performance of digital pheromones for swarming vehicle control



Publisher: ACM Press

Full text available: pdf(793.48 KB)

Additional Information: full citation, abstract, references, citings, index terms

The use of digital pheromones for controlling and coordinating swarms of unmanned vehicles is studied under various conditions to determine their effectiveness in multiple military scenarios. The study demonstrates the effectiveness of these pheromone algorithms for surveillance, target acquisition, and tracking. The algorithms were demonstrated on hardware platforms and the results from the demonstration are reported

Keywords: autonomous vehicles, multiagent, pheromone control, swarming

Artificial intelligence: an investigation into critical systems and swarm theory Steven Winston

April 2002 Journal of Computing Sciences in Colleges, Volume 17 Issue 5

Publisher: Consortium for Computing Sciences in Colleges

Full text available: pdf(22.19 KB) Additional Information: full citation, references, index terms

4	Agent planning and search: Decentralized planning under uncertainty for teams of communicating agents	
•	Matthijs T. J. Spaan, Geoffrey J. Gordon, Nikos Vlassis May 2006 Proceedings of the fifth international joint conference on Autonomous	
	agents and multiagent systems AAMAS '06 Publisher: ACM Press	
	Full text available: 🔁 pdf(379.29 KB) Additional Information: full citation, abstract, references, index terms	
	Decentralized partially observable Markov decision processes (DEC-POMDPs) form a general framework for planning for groups of cooperating agents that inhabit a stochastic and partially observable environment. Unfortunately, computing optimal plans in a DEC-POMDP has been shown to be intractable (NEXP-complete), and approximate algorithms for specific subclasses have been proposed. Many of these algorithms rely on an (approximate) solution of the centralized planning problem (i.e., treating the w	
	Keywords : artificial intelligence, cooperative multiagent systems, decentralized POMDPs, planning under uncertainty	
5	The multilevel hypernetwork dynamics of complex systems of robot soccer agents Jeffrey H. Johnson, Pejman Iravani	
*	June 2007 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 2 Issue 2 Publisher: ACM Press	
	Full text available: pdf(766.86 KB) Additional Information: full citation, abstract, references, index terms	
	A mathematical formalism is sketched for representing relational structure between agents. n -ary relations, $n > 2$, require hypernetworks, which generalize binary relation networks. n -ary relations on sets create structure at higher levels of representation to the elements in multilevel systems. The <i>state</i> of a system is represented by its multilevel relational structure. The <i>dynamics</i> of a system are represented by state changes through time. These can be c	
	Keywords : Complex systems, Q-analysis, agent, hypernetwork, multiagent systems, multilevel representations, multilevel systems, robot soccer, robotics, simulated multiagent football	
6	Developing multiagent systems: The Gaia methodology Franco Zambonelli, Nicholas R. Jennings, Michael Wooldridge July 2003 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 12 Issue 3 Publisher: ACM Press	
	Full text available: pdf(346.49 KB) Additional Information: full citation, abstract, references, citings, index terms, review	
	Systems composed of interacting autonomous agents offer a promising software engineering approach for developing applications in complex domains. However, this <i>multiagent system</i> paradigm introduces a number of new abstractions and design/development issues when compared with more traditional approaches to software development. Accordingly, new analysis and design methodologies, as well as new tools, are needed to effectively engineer such systems. Against this background, the contribution	
	Keywords : Multiagent systems, agent-oriented software engineering, analysis and design methodologies, distributed systems, software architectures	
7	Multi-robot path-planning based on implicit cooperation in a robotic swarm	

Results (page 1): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 3 of 6

May 1998 Proceedings of the second international conference on Autonomous agents AGENTS '98

Publisher: ACM Press

Full text available: Topdf(849.64 KB) Additional Information: full citation, references, index terms

Keywords: implicit cooperation, manufacturing, material handling system, reactive agents, swarm

8 Industrial track: aerospace applications: Experiences with the design and

implementation of an agent-based autonomous UAV controller Samin Karim, Clint Heinze

July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05

Publisher: ACM Press

Full text available: pdf(389.87 KB) Additional Information: full citation, abstract, references, index terms

This paper reports experiences and outcomes of designing and developing an agent-based, autonomous mission control system for an unmanned aerial vehicle (UAV). Most UAVs are not truly autonomous or even unmanned but are more correctly termed 'uninhabited' or 'remotely piloted'. This paper explores two quite different approaches for adding autonomous control to an existing UAV. Both designs were implemented using an agentbased language. The first takes a fairly standard approach, adding a layer ...

Keywords: BDI agency, OODA, UAV, cognitive robotics, cognitively plausible models, real-time agent-based control

Learning and evolution: The use of agents in human learning systems

Elizabeth Sklar, Debbie Richards

May 2006 Proceedings of the fifth international joint conference on Autonomous agents and multiagent systems AAMAS '06

Publisher: ACM Press

Full text available: pdf(220.00 KB) Additional Information: full citation, abstract, references, index terms

This paper examines agent-based systems designed for a variety of human learning tasks. These are typically split into two areas: "training", which generally refers to adult learning of job-related skills, frequently but not exclusively in military settings; and "education", which generally refers to child and adult learning in academic settings, including primary and secondary schools, colleges and universities. While the terms may indicate diverse areas within the field of human learning, from ...

Keywords: education, learning, pedagogical agents, training

10 A survey of autonomic communications

Simon Dobson, Spyros Denazis, Antonio Fernández, Dominique Gaïti, Erol Gelenbe, Fabio Massacci, Paddy Nixon, Fabrice Saffre, Nikita Schmidt, Franco Zambonelli December 2006 ACM Transactions on Autonomous and Adaptive Systems (TAAS),

Volume 1 Issue 2 Publisher: ACM Press

Full text available: pdf(300.86 KB) Additional Information: full citation, abstract, references, index terms

Autonomic communications seek to improve the ability of network and services to cope with unpredicted change, including changes in topology, load, task, the physical and logical characteristics of the networks that can be accessed, and so forth. Broad-ranging autonomic solutions require designers to account for a range of end-to-end issues affecting programming models, network and contextual modeling and reasoning, decentralised algorithms, trust acquisition and maintenance---issues whose soluti ...

Keywords: Autonomic communication

11 Agents, interactions, mobility, and systems (AIMS): A distributed stand-in agent

based algorithm for opportunistic resource allocation

Petr Benda, Pavel Jisl, Michal Pěchouček, Niranjan Suri, Marco Carvalho April 2006 **Proceedings of the 2006 ACM symposium on Applied computing SAC '06 Publisher:** ACM Press

Full text available: pdf(815.11 KB) Additional Information: full citation, abstract, references, index terms

Mobile ad-hoc networks (MANET) are expected to form the basis of future mission critical applications such as combat and rescue operations. In this context, communication and computational tasks required by overlying applications will rely on the combined capabilities and resources provided by the underlying network nodes. This paper introduces an integrated **FlexFeed/A-globe** technology and distributed algorithm for opportunistic resource allocation in resource-and policy-constraine ...

Keywords: ad-hoc networks, agents, coordination, defence applications, inaccessibility, multi-agent systems

12 OOPSLA onward! track chair's welcome: Collaborative diffusion: programming



Alexander Repenning

October 2006 Companion to the 21st ACM SIGPLAN conference on Object-oriented programming systems, languages, and applications OOPSLA '06


Publisher: ACM Press

Full text available: pdf(1.27 MB) Additional Information: full citation, abstract, references, index terms

Object-oriented programming has worked quite well - so far. What are the objects, how do they relate to each other? Once we clarified these questions we typically feel confident to design and implement even the most complex systems. However, objects can deceive us. They can lure us into a false sense of understanding. The metaphor of objects can go too far by making us try to create objects that are too much inspired by the real world. This is a serious problem, as a resulting system may be sign ...

Keywords: collaborative agents, diffusion, distributed artificial intelligence, end-user programming, game AI, incremental AI, multi-agent architecture, object-oriented programming, psychology of programming

13 Excuse me, I need better Al!: employing collaborative diffusion to make game Al



Alexander Repenning

July 2006 Proceedings of the 2006 ACM SIGGRAPH symposium on Videogames sandbox '06

Publisher: ACM Press

Full text available: pdf(547.39 KB) Additional Information: full citation, abstract, references, index terms

The idea of end-user game authoring environments is quickly gaining momentum in education. Environments such as AgentSheets have been used by thousands of children to learn about programming and design by creating their own computer games. With only hours of training these children initially create their own versions of classical games such as Frogger, Sokoban, and Space Invaders and later begin to design and implement their own game ideas. After creating numerous simple games including cursor c ...

Keywords: collaborative agents, diffusion, distributed artificial intelligence, end-user programming, game AI, incremental AI, multi-agent architecture, object-oriented programming, psychology of programming

Publisher: ACM Press

Results (page 1): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 6 of 6

Full text available: pdf(210.96 KB)

Additional Information: full citation, abstract, references, citings, index terms

Endowing agents with "social rationality" [10, 12, 11] can aid overall efficiency in tasks where cooperation is beneficial to system level performance. However it is difficult to maintain this beneficial effect in open and unpredictable systems. Such systems seem to require a "bespoke" (that is, a new) design for cooperation in each domain. Recent work in artificial life and biological sciences has identified novel "tag" mechanisms for the spontaneous self-organization of group level adaptations ...

Keywords: altruism, cooperation, cultural markers, evolution of groups, social cues, tags

19 Teamwork: A prototype infrastructure for distributed robot-agent-person teams

Paul Scerri, David Pynadath, Lewis Johnson, Paul Rosenbloom, Mei Si, Nathan Schurr, Milind Tambe

July 2003 Proceedings of the second international joint conference on Autonomous agents and multiagent systems AAMAS '03

Publisher: ACM Press

Full text available: pdf(360.59 KB)

Additional Information: full citation, abstract, references, citings, index terms

Effective coordination of robots, agents and people promises to improve the safety, robustness and quality with which shared goals are achieved by harnessing the highly heterogeneous entities' diverse capabilities. Proxy-based integration architectures are emerging as a standard method for coordinating teams of heterogeneous entities. Such architectures are designed to meet imposing challenges such as ensuring that the diverse capabilities of the group members are effectively utilized, avoiding ...

Keywords: adjustable autonomy, robot-agent-person teams

20 Active mental entities: a new approach to building intelligent autonomous agents

Pietro Baroni, Daniela Fogli, Giovanni Guida, Silvano Mussi June 1998 **ACM SIGART Bulletin**, Volume 9 Issue 1

Publisher: ACM Press

Full text available: pdf(1.69 MB)

Additional Information: full citation, abstract, references, citings, index terms

In order to design and realize intelligent autonomous agents, a very active research trend has concentrated its attention on the study of models of mental activity, encompassing the explicit representation of mental attitudes such as beliefs, desires and intentions. In such studies mental attitudes are normally represented as data structures on which a so-called interpreter operates determining the overall agent behavior. In this article we propose an original point of view about mental activity ...

Results 1 - 20 of 200 Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

Resul	ts (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m Page 1 of 6
7	Subscribe (Full Service) Register (Limited Service, Free) Login
(3C	PERTAL Search: © The ACM Digital Library C The Guide
	USPTO (robot OR "intelligent agent" or "autonomous agent") and "sho
Me	Feedback Report a problem Satisfaction survey
	s used: <u>robot</u> OR <u>intelligent agent</u> or <u>autonomous</u> t and <u>short term memory</u> and <u>cooperative</u> or <u>swarm</u> Found 1,010 of 207,474
Sort by Displ resul	
	rits 21 - 40 of 200 Result page: <u>previous 1</u> 2 <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u> Relevance scale Relevance scale
\$	Papers: robotics: Tunably decentralized algorithms for cooperative target observation Sean Luke, Keith Sullivan, Liviu Panait, Gabriel Balan July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05 Publisher: ACM Press
	Full text available: pdf(323.52 KB) Additional Information: full citation, abstract, references, citings, index terms
	Multi-agent problem domains may require distributed algorithms for a variety of reasons: local sensors, limitations of communication, and availability of distributed computational resources. In the absence of these constraints, centralized algorithms are often more efficient, simply because they are able to take advantage of more information. We introduce a variant of the cooperative target observation domain which is free of such constraints. We propose two algorithms, inspired by K-means clust Keywords: K-means clustering, hill-climbing, multiagent systems
	Session 2: Toward a theory of communication and cooperation for multiagent planning Eric Werner March 1988 Proceedings of the 2nd conference on Theoretical aspects of reasoning about knowledge TARK '88 Publisher: Morgan Kaufmann Publishers Inc.
	Full text available: pdf(1.01 MB) Additional Information: full citation, abstract, references
	In this paper we develop a formal computational theory of high-level linguistic communication that serves as a foundation for understanding cooperative action in groups of autonomous agents. We do so by examining and describing how messages affect the planning process and thereby relating communication to the intentions of the agents. We start by developing an abstract formal theory of knowledge representation based on the concept of information. We distinguish two types of information: state
	Keywords : automated reasoning, communication, distributed artificial intelligence, information, intention, knowledge representation, planning
	Managing robot autonomy and interactivity using motives and visual communication François Michaud, Minh Tuan Vu April 1999 Proceedings of the third annual conference on Autonomous Agents AGENTS '99

Resu	lts (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m Page 2	of 6
	Publisher: ACM Press Full text available: pdf(963.46 KB) Additional Information: full citation, references, citings, index terms	
24	Session 11A: coordination and cooperation II: Efficiency and robustness of threshold-based distributed allocation algorithms in multi-agent systems William Agassounon, Alcherio Martinoli July 2002 Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 3 AAMAS '02 Publisher: ACM Press	
	Full text available: pdf(967.81 KB) Additional Information: full citation, abstract, references, citings, index terms	
	In this paper we present three scalable, fully distributed, threshold-based algorithms for allocating autonomous embodied workers to a given task whose demand evolves dynamically over time. Individuals estimate the availability of work based solely on local perceptions. The differences among the algorithms lie in the threshold distribution among teammates (homogeneous or heterogeneous team), in the mechanism used for establishing threshold values (fixed, parameter-based or variable, rule-based),	
	Keywords : division of labor, embodied multi-agent systems, probabilistic modeling, response threshold, swarm intelligence	
25	Posters: Directed stigmergy-based control for multi-robot systems Fitzgerald Steele, Geb Thomas March 2007 Proceeding of the ACM/IEEE international conference on Human-robot interaction HRI '07 Publisher: ACM Press Full text available: pdf(320.21 KB) Additional Information: full citation, abstract, references, index terms	
	Multi-robot systems are particularly useful in tasks that require searching large areas such as planetary science exploration, urban search and rescue, or landmine remediation. In order to overcome the inherent complexity of controlling multiple robots, the user must be able to give high-level, goal driven direction to the robot team. Since human robot interaction is a relatively new discipline, it is helpful to look to existing systems for concepts, analogies, or metaphors that might be utilize	
	Keywords : human robot interaction, multi-robot, robotics, stigmergy, supervisory control, swarm, user interface	
26	Modeling methodology A: parallel and distributed methods I: Parallel simulation of UAV swarm scenarios Joshua J. Corner, Gary B. Lamont December 2004 Proceedings of the 36th conference on Winter simulation WSC '04 Publisher: Winter Simulation Conference Full text available: pdf(435.32 KB) Additional Information: full citation, abstract, references	
	The concept of operations for a micro-UAV system is adopted from nature from the appearance of flocking birds, movement of a school of fish, and swarming bees among others. This "emergent behavior" is the aggregate result of many simple interactions occurring within the flock, school, or swarm. Exploration of this emergent behavior in a swarm is accomplished through a high performance computing parallel discrete event simulation. After design of the system, several experiments are designed, test	
27 ②	Full Papers: Hosting activities: experience with and future directions for a robot agent host Candace L. Sidner, Myroslava Dzikovska January 2002	

Results (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 3 of 6 Proceedings of the 7th international conference on Intelligent user interfaces IUI '02 Publisher: ACM Press Full text available: pdf(440.84 KB) Additional Information: full citation, abstract, references, index terms This paper discusses hosting activities. Hosting activities are a general class of collaborative activity in which an agent provides guidance in the form of information, entertainment, education or other services in the user's environment (which may be an artificial or the natural world) and may also request that the human user undertake actions to support the fulfillment of those services. This paper reports on experience in building a robot agent for hosting activities, both the architecture a ... Keywords: artificial intelligence, collaboration, collaborative interface agents, discourse, embodied agents, hosting agents, intelligent user interfaces, robotics 28 Bringing up robots or—the psychology of socially intelligent robots: from theory to implementation Kerstin Dautenhahn, Aude Billard April 1999 Proceedings of the third annual conference on Autonomous Agents **AGENTS '99** Publisher: ACM Press Full text available: 📆 pdf(262.80 KB) Additional Information: full citation, references, citings, index terms 29 Disturbed behavior in co-operating autonomous robot Robert Ghanea-Hercock, David P. Barnes April 1999 Proceedings of the third annual conference on Autonomous Agents **AGENTS '99** Publisher: ACM Press Full text available: Topdf(1.20 MB)

Additional Information: full citation, references, index terms Keywords: adaptive, autonomous robots, fuzzy logic 30 Using RoboCup in university-level computer science education Elizabeth Sklar, Simon Parsons, Peter Stone June 2004 Journal on Educational Resources in Computing (JERIC), Volume 4 Issue 2 Publisher: ACM Press Full text available: pdf(324.21 KB) Additional Information: full citation, abstract, references, index terms In the education literature, team-based projects have proven to be an effective pedagogical methodology. We have been using RoboCup challenges as the basis for class projects in undergraduate and masters level courses. This article discusses several

independent efforts in this direction and presents our work in the development of shared resources and evaluation instruments. We outline three courses and describe related class projects in order to make the context of our investigation clear ...

Keywords: RoboCup, educational robotics

31 Agent Heterogeneity and Coalition Formation: Investigating Market-Based Cooperative Problem Solving

David Cornforth, Michael Kirley, Terry Bossomaier

July 2004 Proceedings of the Third International Joint Conference on Autonomous Agents and Multiagent Systems - Volume 2 AAMAS '04

Publisher: IEEE Computer Society

	Full text available: 🔁 pdf(180.09 KB) Additional Information: full citation, abstract, index terms	
	One focus of multi-agent systems research is the notion that complex outcomes or behaviours may be arrived at through the interaction of agents. However, it is still an open question as to how agents in a complex system form coalitions or modules, and how these coalitions self-organize into hierarchies. In this paper, we begin to address this question by investigating agent collaboration in the context of a high-level pattern recognition task. We propose a novel market-based communication protoc	
32 �	Whistling in the dark: cooperative trail following in uncertain localization space Richard T. Vaughan, Kasper Støy, Gaurav S. Sukhatme, Maja J. Matarić June 2000 Proceedings of the fourth international conference on Autonomous agents AGENTS '00 Publisher: ACM Press Full text available: pdf(722.93 KB) Additional Information: full citation, references, citings, index terms	
	Tull text available. A part 22.35 (b) Additional mormation. Idin citation, references, citings, much terms	
33 ②	A reactive agent-based problem-solving model: Application to localization and tracking Franck Gechter, Vincent Chevrier, François Charpillet December 2006 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 1 Issue 2	
	Publisher: ACM Press Full text available: pdf(1.46 MB) Additional Information: full citation, abstract, references, index terms	
	For two decades, multi-agent systems have been an attractive approach for problem solving and have been applied to a wide range of applications. Despite the lack of generic methodology, the reactive approach is interesting considering the properties it provides. This article presents a problem-solving model based on a swarm approach where agents interact using physics-inspired mechanisms. The initial problem and its constraints are represented through agents' environment, the dynamics of which i	
	Keywords: Reactive multi-agent systems, localization, mobile robots, tracking	
34	Arts session 2: interactive spaces and performance: Motion swarms: video interaction for art in complex environments	
	Quoc Nguyen, Scott Novakowski, Jeffrey E. Boyd, Christian Jacob, Gerald Hushlak October 2006 Proceedings of the 14th annual ACM international conference on Multimedia MULTIMEDIA '06 Publisher: ACM Press	
	Quoc Nguyen, Scott Novakowski, Jeffrey E. Boyd, Christian Jacob, Gerald Hushlak October 2006 Proceedings of the 14th annual ACM international conference on Multimedia MULTIMEDIA '06	
	Quoc Nguyen, Scott Novakowski, Jeffrey E. Boyd, Christian Jacob, Gerald Hushlak October 2006 Proceedings of the 14th annual ACM international conference on Multimedia MULTIMEDIA '06 Publisher: ACM Press Full text available: pdf(6.41 MB) Additional Information: full citation, abstract, references, index terms We create interactive art that can be enjoyed by groups such as audiences at public events with the intent to encourage communication with those around us as we play with the art. Video systems are an attractive mechanism to provide interaction with artwork. However, public spaces are complex environments for video analysis systems. Interaction becomes even more difficult when the art is viewed by large groups of people. We describe	
35	Quoc Nguyen, Scott Novakowski, Jeffrey E. Boyd, Christian Jacob, Gerald Hushlak October 2006 Proceedings of the 14th annual ACM international conference on Multimedia MULTIMEDIA '06 Publisher: ACM Press Full text available: pdf(6.41 MB) Additional Information: full citation, abstract, references, index terms We create interactive art that can be enjoyed by groups such as audiences at public events with the intent to encourage communication with those around us as we play with the art. Video systems are an attractive mechanism to provide interaction with artwork. However, public spaces are complex environments for video analysis systems. Interaction becomes even more difficult when the art is viewed by large groups of people. We describe a video system for interaction with art in public spaces and wi Keywords: art installation, audience interaction, interaction through video, motion analysis, motion history image, swarm art	

Results (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 4 of 6

Results (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 5 of 6 In prior work we established how physicomimetics can be used to self-organize hexagonal and square lattice formations of mobile robots. In this paper we extend the framework to moving formations, by providing additional theoretical analysis and showing how this theory facilitates the implementation of seven robots in a hexagonal formation moving towards a goal. 36 Session 11A: coordination and cooperation II: Non-cooperative dynamics of multi-<u>agent teams</u> Robert L. Axtell July 2002 Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 3 AAMAS '02 Publisher: ACM Press Additional Information: full citation, abstract, references, citings, index Full text available: pdf(250.17 KB) terms Results on the formation of multi-agent teams are reviewed and extended. Conditions are specified under which it is individually rational for agents to spontaneously form coalitions in order to engage in collective action. In a cooperative setting the formation of such groups is to be expected. Here we show that in non-cooperative environments-presumably a more realistic context for a variety of both human and software agents-self-organized coalitions are capable of extracting welfare improvemen ... Keywords: equal division, increasing returns, multi-agent coalitions, proportional reward, stationary distribution of group sizes, team formation, transient groups, unstable Nash equilibria 37 Papers: cooperation I: Kaa: policy-based explorations of a richer model for adjustable <u>autonomy</u> Jeffrey M. Bradshaw, Hyuckchul Jung, Shri Kulkarni, Matthew Johnson, Paul Feltovich, James Allen, Larry Bunch, Nathanael Chambers, Lucian Galescu, Renia Jeffers, Niranjan Suri, William Taysom, Andrzej Uszok July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05 Publisher: ACM Press Full text available: pdf(796.42 KB) Additional Information: full citation, abstract, references, index terms Though adjustable autonomy is hardly a new topic in agent systems, there has been a general lack of consensus on terminology and basic concepts. In this paper, we describe the multi-dimensional nature of adjustable autonomy and give examples of how various dimensions might be adjusted in order to enhance performance of human-agent teams. We then introduce Kaa (KAoS adjustable autonomy), which extends our previous work on KAoS policy and domain services to provide a policy-based capability for ad ... Keywords: KAoS, OWL, adjustable autonomy, human-agent teamwork, kaa, policy, trust 38 Papers: robotics: Coordinated exploration of unknown labyrinthine environments applied to the pursuit evasion problem

Damien Pellier, Humbert Fiorino

July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05

Publisher: ACM Press

Full text available: pdf(495.86 KB) Additional Information: full citation, abstract, references, index terms

This paper introduces a multi-robot cooperation approach to solve the pursuit evasion problem for mobile robots that have omnidirectional vision sensors in unknown environments. The main characteristic of this approach is based on the robots cooperation by sharing knowledge and making them work as a team: a complete algorithm for computing robots motion strategy is presented as well as the deliberation protocol which distributes the exploration task among the team and takes the best possible out ...

Keywords: coordination, distributed robotics, multiagent systems, pursuit-evasion problem 39 Parallel and distributed systems and networking: A particle swarm model for swarm-<u>based networked sensor systems</u> B. Anthony Kadrovach, Gary B. Lamont March 2002 Proceedings of the 2002 ACM symposium on Applied computing SAC '02 Publisher: ACM Press Additional Information: full citation, abstract, references, citings, index Full text available: pdf(614.37 KB) Swarm behavior as demonstrated by flocks of birds, schools of fish, and swarms of insects provide a useful method for implementing a distributed network of mobile sensor platforms. Such mobile sensor swarm systems are useful for various search or surveillance activities. Swarm behavior ensures safe separation between swarm members while enforcing a level of cohesion. These two properties, when considered in the context of sensors and wireless communications, provide for low redundancy coverage a ... **Keywords**: distributed processing, networking, particle swarms, robotics, wireless 40 Coordination Artifacts: Environment-Based Coordination for Intelligent Agents Andrea Omicini, Alessandro Ricci, Mirko Viroli, Cristiano Castelfranchi, Luca Tummolini July 2004 Proceedings of the Third International Joint Conference on Autonomous Agents and Multiagent Systems - Volume 1 AAMAS '04 Publisher: IEEE Computer Society Full text available: pdf(242.37 KB) Additional Information: full citation, abstract, citings, index terms Direct interaction and explicit communication are not always the best approaches for achieving coherent systemic behaviour in the context of Multi-Agent Systems (MAS). This is evident when taking into account recent approaches dealing with environment-based coordination such as stigmergy and, more generally, mediated interaction. In this paper we propose a conceptual, formal and engineering framework based on the notion of coordination artifact, which aims at generally systematising implicit com ... Results 21 - 40 of 200 Result page: previous 1 2 3 4 5 6 7 next

Results (page 2): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 6 of 6

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library C The Guide

(robot OR "intelligent agent" or "autonomous agent") and "sho

SPINE E

THE ACTION OF A LIEUTARY

Feedback Report a problem Satisfaction

Terms used: robot OR intelligent agent or autonomous agent and short term memory and cooperative or swarm

Found 1,010 of 207,474

Try an Advanced Search Sort results Save results to a Binder relevance Try this search in The ACM Guide by Search Tips Display expanded form Open results in a new results window

Results 41 - 60 of 200 Result page: <u>previous</u> 1 2 3 4 5 6 7 8 9 10 Best 200 shown

Relevance scale

41 Learning/self-organization/argumentation: Argumentation based decision making for

<u>autonomous agents</u>

Antonis Kakas, Pavlos Moraitis

July 2003 Proceedings of the second international joint conference on Autonomous agents and multiagent systems AAMAS '03

Publisher: ACM Press

Full text available: pdf(203.90 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents an argumentation based framework to support the decision making of an agent within a modular architecture for agents. The proposed argumentation framework is dynamic, with arguments and their strength depending on the particular context that the agent finds himself, thus allowing the agent to adapt his decisions in a changing environment. In addition, in order to enable the agent to operate within an open environment where the available information may be incomplete we have i ...

Keywords: agents, argumentation, decision making

42 Pervasive pheromone-based interaction with RFID tags

Marco Mamei, Franco Zambonelli

June 2007 ACM Transactions on Autonomous and Adaptive Systems (TAAS), Volume 2 Issue 2

Publisher: ACM Press

Full text available: pdf(1.72 MB)

Additional Information: full citation, abstract, references, index terms

Despite the growing interest in pheromone-based interaction to enforce adaptive and context-aware coordination, the number of deployed systems exploiting digital pheromones to coordinate the activities of situated autonomous agents is still very limited. In this article, we present a simple low-cost and general-purpose implementation of a pheromone-based interaction mechanism for pervasive environments. This is realized by making use of RFID tags to store digital pheromones and by having huma ...

Keywords: RFID tags, Stigmergy, pervasive computing

43 Posters: Spatial dialog for space system autonomy

Scott Green, Scott Richardson, Vadim Slavin, Randy Stiles March 2007 Proceeding of the ACM/IEEE international conference on Human-robot interaction HRI '07

Publisher: ACM Press

	Full text available: pdf(1.57 MB) Additional Information: full citation, abstract, references, index terms	
	Future space operations will increasingly demand cooperation between humans and autonomous space systems such as robots, observer satellites, and distributed components. Human team members use a combination of gestures, gaze, posture, deictic references and speech to communicate effectively. When a human team collaborates on a given task, they discuss the task, create a plan and then review this plan prior to execution to ensure success. This is exactly the process we envision for effective huma	
	Keywords : adjustable autonomy, augmented reality, collaboration, human-robotic interaction, multi-modal interfaces, spoken dialog system, virtual tele-presence	
44	Perception of change for a socially enhanced robot imitator Yuval Marom, Gillian Hayes June 2000 Proceedings of the fourth international conference on Autonomous agents AGENTS '00 Publisher: ACM Press Full text available: pdf(857.81 KB) Additional Information: full citation, references, index terms	
45	Agents, interactions, mobility, and systems (AIMS): An agent model for fault-tolerant systems Avelino Francisco Zorzo, Felipe Rech Meneguzzi March 2005 Proceedings of the 2005 ACM symposium on Applied computing SAC '05 Publisher: ACM Press Full text available: pdf(382.80 KB) Additional Information: full citation, abstract, references, index terms This paper describes the use of fault tolerance in a multi-agent system. Such an approach is based on the modeling of autonomous agents with planning capabilities. These capabilities are used by the agent to recover from faults occurring in its surrounding environment, e.g. hardware faults, or in its internal representation thereof, e.g. software faults. The expected fault-tolerant behavior is tested using fault injection either in the system described by the agent or in the environment in which Keywords: BDI model, CA actions, declarative goals, planning	
46	Session 6C: mobile embodied agents: Reinforcement learning for landmark-based robot navigation Dídac Busquets, Ramon López de Màntaras, Carles Sierra July 2002 Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 2 AAMAS '02 Publisher: ACM Press Full text available: pdf(61.49 KB) Additional Information: full citation, references, index terms	
47	Information retrieval on the web Mei Kobayashi, Koichi Takeda June 2000 ACM Computing Surveys (CSUR), Volume 32 Issue 2 Publisher: ACM Press Full text available: pdf(213.89 KB) Additional Information: full citation, abstract, references, citings, index terms In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it	

Results (page 3): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 2 of 6

Kesu	its (page 3): (robot OR "intelligent agent" or "autonomous agent") and "short term m Page 3	010
	is not surprising that about 85% of Internet user	
	Keywords : Internet, World Wide Web, clustering, indexing, information retrieval, knowledge management, search engine	
48	Book reviews: Review of "A Reader's Guide to Agent Literacy by Marie A. Bienkowski". Marie A. Bienkowski September 1998 ACM SIGART Bulletin, Volume 9 Issue 2 Publisher: ACM Press Full text available: pdf(1.55 MB) Additional Information: full citation, abstract, references	
·	Those of us who are newly arrived on the agent scene have a variety of books available with which to increase our agent vocabulary. In this article, I provide a short review of five books related to agent research. I also discuss several overview papers and the recently published proceedings of the 1997 Autonomous Agents conference. Rather than providing an in-depth, critical analysis of these books (most of which are edited collections of papers), I describe their overall approach, attitude, an	
49	Coordinating autonomous entities with STL Oliver Krone, Fabrice Chantemargue, Thierry Dagaeff, Michael Schumacher September 1998 ACM SIGAPP Applied Computing Review, Volume 6 Issue 2 Publisher: ACM Press Full text available: pdf(1.67 MB) Additional Information: full citation, abstract, index terms	
•	This paper describes ECM, a new coordination model and STL its corresponding language. STL's power and expressiveness are shown through a distributed implementation of a generic autonomy-based multi-agent system, which is applied to a collective robotics simulation, thus demonstrating the appropriateness of STL for developing a generic coordination platform for autonomous agents.	
	Keywords : autonomous agents, collective robotics, coordination, distributed systems	
50 ③	Session 2B: multiagent simulation: Variance in converging puck cluster sizes A. Zhang, M. Chung, B. Lee, R. Cho, S. Kazadi, R. Vishwanath July 2002 Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 1 AAMAS '02 Publisher: ACM Press Full text available: pdf(320.55 KB) Additional Information: full citation, abstract, references, index terms	
	We investigate the design of control algorithms for puck clus- tering simulations. Of interest is the control of the variance in puck cluster sizes, particularly when multiple clusters are being created. We present a theoretical framework under which behaviors may be designed which serve to control puck cluster sizes.	
	Keywords: puck clustering, swarm engineering	•
51	Artificial life, evolutionary robotics, and adaptive behavior: Autonomous navigation system applied to collective robotics with ant-inspired communication Renato Reder Cazangi, Fernando J. Von Zuben, Maurício F. Figueiredo June 2005 Proceedings of the 2005 conference on Genetic and evolutionary computation GECCO '05 Publisher: ACM Press	
	Full text available: pdf(1.07 MB) Additional Information: full citation, abstract, references, index terms	
	Research in collective robotics is motivated mainly by the possibility of achieving an efficient solution to multi-objective pavigation tasks when multiple robots are employed	

Results (page 3): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 4 of 6 instead of a single robot. Several approaches have already been tried in multi-robot systems, but the bio-inspired ones are the most frequent. This paper proposes to augment an autonomous navigation system based on learning classifier systems for using in collective robotics, introducing an inter-robot communication mecha ... Keywords: ant stigmergy, autonomous navigation, collective robotics, learning classifier systems 52 Cooperation and coordination: Artifacts for time-aware agents Cédric Dinont, Philippe Mathieu, Emmanuel Druon, Patrick Taillibert May 2006 Proceedings of the fifth international joint conference on Autonomous agents and multiagent systems AAMAS '06 Publisher: ACM Press Full text available: 📆 pdf(258.71 KB) Additional Information: full citation, abstract, references, index terms Time-aware agents are agents capable of reasoning about their tasks duration and deadlines, and, more generally, to manage the temporal aspects of the execution of their tasks. We first focus on the case of agents in charge of long duration computations, sustaining that it is not acceptable for an autonomous agent to remain unaware of its environment for too long. We then consider deadline meetings when several time-aware agents share the same CPU. To achieve these goals, we recognize the import ... **Keywords**: CPU sharing, artifacts, coordination 53 Book review: The Artificial Life Route to Artificial Intelligence: Building Embodied, Situated Agents edited by Luc Steels (Lawrence Earlbaum, New Jersey) Stuart Rubin July 1996 ACM SIGART Bulletin, Volume 7 Issue 3 Publisher: ACM Press Full text available: pdf(396.36 KB) Additional Information: full citation, abstract, references The book, "The Artificial Life Route to Artificial Intelligence," edited by Luc Steels and \cdot Rodney Brooks follows from a workshop held in April of 1991 in the old Priory of Corsendonck, north of Brussels. The workshop was organized by Luc Steels and Rodney Brooks and sponsored by NATO and MIT. The participants were Rodney Brooks, William Clancey, John Hallam, Stevan Harnad, Leslie Kaelbling, Chris Langton, Maja Mataric, Rolf Pfeifer, Tim Smithers, Luc Steels, Charles Taylor, Francis Van Aeken, an ... 54 Strategic directions in artificial intelligence Jon Doyle, Thomas Dean December 1996 ACM Computing Surveys (CSUR), Volume 28 Issue 4 Publisher: ACM Press Full text available: The pdf(243.02 KB) Additional Information: full citation, references, index terms 55 A Pheromone-Based Utility Model for Collaborative Foraging Liviu Panait, Sean Luke July 2004 Proceedings of the Third International Joint Conference on Autonomous Agents and Multiagent Systems - Volume 1 AAMAS '04 Publisher: IEEE Computer Society Full text available: Topdf(438.14 KB) Additional Information: full citation, abstract, citings, index terms Multi-agent research often borrows from biology, where remarkable examples of collective intelligence may be found. One interesting example is ant coloniesý use of pheromones as a joint communication mechanism. In this paper we propose two pheromone-based algorithms for artificial agent foraging, trail-creation, and other tasks. Whereas practically

all previous work in this area has focused on biologically-plausible but ad-hoc single

	pheromone models, we have developed a formalism which uses mul
56	Developing a bidding agent for multiple heterogeneous auctions Patricia Anthony, Nicholas R. Jennings August 2003 ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 3
	Publisher: ACM Press
٠	Full text available: pdf(1.15 MB) Additional Information: full citation, abstract, references, citings, index terms
•	Due to the proliferation of online auctions, there is an increasing need to monitor and bid in multiple auctions in order to procure the best deal for the desired good. To this end, this paper reports on the development of a heuristic decision making framework that an autonomous agent can exploit to tackle the problem of bidding across multiple auctions with varying start and end times and with varying protocols (including English, Dutch and Vickrey). The framework is flexible, configurable, and
	Keywords : bidding strategy, genetic algorithms, multiple auctions
57	The UMASS intelligent home project Victor Lesser, Michael Atighetchi, Brett Benyo, Bryan Horling, Anita Raja, Régis Vincent, Thomas Wagner, Ping Xuan, Shelley XQ. Zhang April 1999 Proceedings of the third annual conference on Autonomous Agents
	AGENTS '99 Publisher: ACM Press
	Full text available: pdf(1.23 MB) Additional Information: full citation, references, citings, index terms
58 ③	Adaptation/load balancing: Agent memory and adaptation in multi-agent systems Kristina Lerman, Aram Galstyan July 2003 Proceedings of the second international joint conference on Autonomous agents and multiagent systems AAMAS '03 Publisher: ACM Press
	Full text available: pdf(277.70 KB) Additional Information: full citation, abstract, references, citings, index terms
	We describe a general mechanism for adaptation in multi-agent systems in which agents modify their behavior based on their memory of past events. These behavior changes can be elicited by environmental dynamics or arise as response to the actions of other agents. The agents use memory to estimate the global state of the system from individual observations and adjust their actions accordingly. We also present a mathematical model of the dynamics of collective behavior in such systems and apply it
	Keywords: analysis, coalition formation, multi-agent systems
59 ③	Computational complexity in agent systems: Agent interaction in distributed POMDPs and its implications on complexity Jiaying Shen, Raphen Becker, Victor Lesser May 2006 Proceedings of the fifth international joint conference on Autonomous agents and multiagent systems AAMAS '06 Publisher: ACM Press
	Full text available: pdf(365.80 KB) Additional Information: full citation, abstract, references, index terms
	The ability to coordinate effectively is critical for agents to accomplish their goals in a multi-agent system. A number of researchers have modeled the coordination problem for multi-agent systems using decision theory. The most general models have proven to be extremely complex to solve optimally (NEXP-complete). Some of the more restricted models have been much more tractable, though still difficult (NP-complete). What is missing is an understanding about why some models are much easier than

Results (page 3): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 5 of 6

Results (page 3): (robot OR "intelligent agent" or "autonomous agent") and "short term m... Page 6 of 6 **Keywords**: complexity, distributed POMDP, interaction

60 Papers: coordination and planning: An integrated token-based algorithm for scalable coordination Yang Xu, Paul Scerri, Bin Yu, Steven Okamoto, Michael Lewis, Katia Sycara July 2005 Proceedings of the fourth international joint conference on Autonomous agents and multiagent systems AAMAS '05 Publisher: ACM Press Full text available: pdf(589.40 KB) Additional Information: full citation, abstract, references Efficient coordination among large numbers of heterogeneous agents promises to revolutionize the way in which some complex tasks, such as responding to urban disasters can be performed. However, state of the art coordination algorithms are not capable of achieving efficient and effective coordination when a team is very large. Building on recent successful token-based algorithms for task allocation and information sharing, we have developed an integrated and efficient approach to effective coord ... Result page: <u>previous</u> 1 2 3 4 5 6 7 8 9 10 Results 41 - 60 of 200 next The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

Web Images Video News Maps Gmail more .

Sign in

Google

Advanced Search (robot OR "intelligent agent" or "autonomous a Search

Try uppercase "OR" to search for either of two terms. [details] The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Scholar Results 1 - 10 of about 45 for (robot OR "intelligent agent" or "autonomous agent") and "sh

Scholarly articles for (robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("cooperative" or "swarm")



Embodiment and interaction in socially intelligent ... - Dautenhahn - Cited by 59 'Feeling'the flow of time through sensorimotor ... - Tuci - Cited by 10 Artificial Life IV: proceedings of the fourth ... - Brooks - Cited by 13

CSCI 584 - Control and Learning in Mobile Robots and Multi-Robot ... "An architecture for distributed cooperative-planning in a behavior-based multi-robot system" by D. Jung and A. Zelinsky (1999). ... robotics.usc.edu/~maja/teaching/cs584.html - 50k - Cached - Similar pages

Engineering Applications of Artificial Intelligence: An immunity ... Short-term memory stores temporary data such as task location and For an autonomous agent, its behavior that is characterized by its internal state ... linkinghub.elsevier.com/retrieve/pii/S0952197606001035 - Similar pages

[PDF] Swarm Intelligence techniques for task allocation and sub-task ...

File Format: PDF/Adobe Acrobat - View as HTML is designed not only for cooperative group behaviors but also for tightly ... robotic system, although each single robot composing the swarm is a fully ... www.swarm-bots.org/dllink.php?id=463&type=documents - Supplemental Result -Similar pages

[РРБ] <u>'Feeling' the Flow of Time through Sensory-Motor Coordination</u> File Format: PDF/Adobe Acrobat - View as HTML autonomous agent to possess both navigational skills and decision-making tor mappings as a short-term memory mechanism in delayed response tasks. ... www.swarm-bots.org/dllink.php?id=705&type=documents - Similar pages

CS493

"Learning to use selective attention and short-term memory in sequential ... Nov 16, Multi robot control, "Cooperative transport by ants and robots" by C. ... www.cse.unr.edu/~monica/Courses/CS493-790/cs493-790-fall04.html - 40k -Cached - Similar pages

IPDFI On the Evolution of Self-Organising Behaviours in a Swarm of ...

File Format: PDF/Adobe Acrobat

One of the swarm-based robotic implementations of cooperative transport in (Beer, 1995)—shaped by evolution makes an autonomous agent capable of ... laral.istc.cnr.it/trianni/docs/thesis-trianni.pdf - Similar pages

ppp Feeling the Flow of Time trough Sensory-Motor Coordination File Format: PDF/Adobe Acrobat - View as HTML shaped by evolution, makes an autonomous agent capable of "feeling" time form of short term memory. On the contrary, in our study, the cue which allows ... laral.istc.cnr.it/trianni/docs/259-etuci_2004.pdf - Similar pages

"ID";"Autori";"Titolo";"Rivista";"Numero";"Anno";"Volume";"Pagine ...

File Format: Unrecognized - View as HTML 20;"DaucΘ, Emmanuel";"Short term memory in recurrent networks of spiking Goodman, Philip";"An Evolutionary Autonomous Agent with Visual Cortex and ... (robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("coo... Page 2 of 2 www.cesarebianchi.com/tesi/bibl.csv - Similar pages

[PDF] Swarm Intelligence techniques for task allocation and sub-task ...

File Format: PDF/Adobe Acrobat - View as HTML

through time, as a form of short term memory. On the contrary, in our resulting in a

cooperative behavior. The robot that has first finished its ...

www.swarm-bot.org/dllink.php?id=463&type=documents - Similar pages

[PS] Conference Schedule

File Format: Adobe PostScript - View as Text

Robot. Kalyanmoy Deb, Dilip Kumar Pratihar, and Amitabha Ghosh. 5:00 pm. Cooperative and Competitive Behavior Acquisition for Mobile Robots through Co-...

www.cs.colostate.edu/~genitor/GECCO-1999/schedule.ps.gz - Similar pages

<u>Next</u> 1 2 3 4

Download Google Pack: free essential software for your PC

(robot OR "intelligent agent" or "auto Search.

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more ▼

Sign in

<u>Google</u>

(robot OR "intelligent agent" or "autonomous a Search Preferences

Try uppercase "OR" to search for either of two terms. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 11 - 20 of about 45 for (robot OR "intelligent agent" or "autonomous agent") and "short term n

2004-06-03 Controlled Content Crossover: A New Crossover Scheme Evolutionary Autonomous Agent with Visual Cortex and Recurrent Spiking Columnar for Agents Integrating Vision, Locomotion, and Short-Term Memory. ... Isdis.cs.uga.edu/projects/semdis/swetodblp/may2007/swetodblp_may_2007_part_8.rdf - Similar pages

[PDF] Page 1 WAC 2006 20 th year of serving global technical community ... File Format: PDF/Adobe Acrobat - View as HTML cooperative teams of robots. Tracking #ISORA-238. This paper describes our efforts to develop a robot with a robust sensorimotor intelligence using a ... wacong.org/wac2006/docs/main/WAC_Final_Prog_2006.pdf - Similar pages

[PDF] Artificial Societies of Intelligent Agents File Format: PDF/Adobe Acrobat - View as HTML

for an **autonomous agent** that will result in the agent demonstrating adaptive, The Perceptual Persistentslevel models atype of **short term memory**. ... www.agent.ai/download.php?ctag=download&docID=576 - Similar pages

List of bibitems

... "Evolving Neural Networks using **Swarm** Intelligence for Binmap Classification" ... Adaptive Fractal Gene Regulatory Networks for **Robot** Control" ... bbase.zimage.dk/list_bibitems.php?search_mode=0&search_anywhere=networks - 250k - Supplemental Result - Cached - Similar pages

[PDF] Dynamical Systems for the Generation of Navigation Behavior

File Format: PDF/Adobe Acrobat used to generate complex behavior of an **autonomous agent**. uses recurrent connections to store node activity in a **short-term memory**. The neu- ... ftp://ftp.neuroinformatik.ruhr-uni-bochum.de/pub/manuscripts/articles/Dissertation.pdf - <u>Similar pages</u>

[PDF] Conception par agent orientee competences.

File Format: PDF/Adobe Acrobat

It is a kind of **short term memory**. It operates on two levels: first the and take the brick" can not be solved by a non **autonomous agent** if the ... www.lifl.fr/smac/publications/hdr-jean-christophe routier.pdf - Similar pages

Genetic and Evolutionary Computation Conference

Constrained optimization via particle evolutionary **swarm** optimization algorithm An Evolutionary **Autonomous Agent** with Visual Cortex and Recurrent ... wotan.liu.edu/docis/dbl/geccog/index.html - 445k - <u>Cached</u> - <u>Similar pages</u>

Biologically Inspired Robotics Group (BIRG) at EPFL - Literature ...

Reaction-diffusion navigation robot control: From chemical to VLSI consider an autonomous agent to be a physical system able to act on its own behalf ...

birg2.epfl.ch/literature/ - 977k - Cached - Similar pages

[PDF] Complessità e dimensione delle reti neurali

File Format: PDF/Adobe Acrobat
Algorithm and Particle **Swarm** Optimizer When Evolving a Recurrent Neural Network. LNCS
2723, pp. 148 - 149. Shiah, Shaw - Ji; Young, Kuu-young (2004) **Robot** ...

http://www.google.com/search?q=(robot+OR+%22intelligent+agent%22+or+%22autonom... 7/22/2007

(robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("coo... Page 2 of 2 www.cesarebianchi.com/tesi/Tesi-Bianchi.pdf - Similar pages

[PDF] Ant Colony Optimization and its Application to Adaptive Routing in ... File Format: PDF/Adobe Acrobat queues provides a sort of **short-term memory** of the traffic situation. Optimization and **Swarm** Intelligence, 4th International Workshop, ANTS 2004, ... www.idsia.ch/~gianni/Papers/routing-chapters.pdf - Similar pages

Previous 1 2 3 4 Next

(robot OR "intelligent agent" or "auto Search

Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more .

Sign in

Google

(robot OR "intelligent agent" or "autonomous a Search Preferences

Try uppercase "OR" to search for either of two terms. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results 21 - 30 of about 45 for (robot OR "intelligent agent" or "autonomous agent") and "short term n

Elektronisk Dansk A.I.Meddelser 22 June 96 Dette nummer af EDAIM ... >Unfortunately, I could not attend the talk on **SWARM** by N. Minar and R. Garrison "Word Learning And Verbal **Short-Term Memory**: A Computational ... www.daimi.au.dk/~brian/EDAIM22text - 455k - <u>Cached</u> - <u>Similar pages</u>

Elektronisk Dansk A.I.Meddelser 59 Mar 2000 Dette nummer af EDAIM ...
Those are composed with several agents, which can be **autonomous**. **Agent** based of **robot** tasking, including **cooperative** interactions of multiple robots ... www.daimi.au.dk/~brian/EDAIM59text - 698k - Cached - Similar pages

[PDF] SIMULATION OF NONVERBAL SOCIAL INTERACTION AND SMALL GROUPS ... File Format: PDF/Adobe Acrobat telephone shop, and is accompanied by an embodied autonomous agent which is of these experiments test short-term memory of non-emotional content. ... biblion.epfl.ch/EPFL/theses/2004/2933/EPFL_TH2933_screen.pdf - Similar pages

Science Links Japan | IEIC Technical Report (Institute of ...

A Method for Sustaining Activities in Short-term Memory Model Using Recurrent

Autonomous-Agent Speech Recognition System and its VLSI System Design. ...
sciencelinks.jp/j-east/journal/I/S0532B/1999.php - 981k - Cached - Similar pages

Science Links Japan | IEIC Technical Report (Institute of ...
Behavior control of an autonomous agent using Flexibly Connected Neural
Interference Effects by Tonal and Speech Stimuli on Short-Term Memory ...
sciencelinks.jp/j-east/journal/I/S0532B/2002.php - Similar pages

CSAIL Publications

In addition, this report presents the results of studies of a number of issues in mobile **robot** cooperation, including fault tolerant **cooperative** control, ... www.ai.mit.edu/research/publications/browse/completebrowse.shtml - Similar pages

Al Publications

This thesis examines the problem of an **autonomous agent** learning a causal in mobile **robot** cooperation, including fault tolerant **cooperative** control, ... www.ai.mit.edu/publications/pubsDB/pubs.html - <u>Similar pages</u>

[PDF] JJCNN 2004 & FUZZ-IEEE 2004 CONFERENCE PROGRAM

File Format: PDF/Adobe Acrobat

T078 Response Knowledge Learning of **Autonomous Agent**. [#1432]. Chi-kin Chow and Hung-Tat Tsui, The Chinese University. of Hong Kong, Hong Kong. In **robot** ... www.sztaki.hu/conferences/budapest2004/program.pdf - <u>Similar pages</u>

грогј The Social Cognitive Actor A multi-actor simulation of organisations
File Format: PDF/Adobe Acrobat
cognitive plausible agent and the norm/social autonomous agent. Therefore, Another
well known example of a simulation system is Swarm (Minar, ...
cogprints.org/5285/01/TheSocialCognitiveActor.pdf - Similar pages

_[GZIP] Genetic Programming Bibliography %%\$Revision: 1.1266 \$ \$Date: 2007 ...

File Format: Gzip Archive

Evolving communicating controllers for multiple mobile robot systems. networks for

http://www.google.com/search?q=(robot+OR+%22intelligent+agent%22+or+%22autonom... 7/22/2007

(robot OR "intelligent agent" or "autonomous agent") and "short term memory" and ("coo... Page 2 of 2 agents integrating vision, locomotion, and **short-term memory**. ... www.cs.bham.ac.uk/~wbl/biblio/gp-bib-alpha.txt.gz - Similar pages

Previous 1 2 3 4 Next

(robot OR "intelligent agent" or "auto Search"

Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google